

MATERIAL SAFETY DATA SHEET

IDENTITY: AQUA-GUARD™ 20 (SILOXANE SEALER)

Section 1

Manufacturer' Name:

PACIFIC POLYMERS INTERNATIONAL, INC (714) 898-0025

Address

12271 Monarch Street

Garden Grove, California 92841

Emergency Telephone Number

(714) 898-0025

Telephone Number for Information

(714) 898-0025

Date Prepared

11-30-95

Revised: April 4, 2002

Section II--- Hazardous Ingredients/Identity Information

<u>Hazardous Components</u>	<u>CAS #.</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>Other Limits Recommended</u>	<u>% (optional)</u>
Aliphatic Hydrocarbon Naphtha Solvent (Mineral spirit)	8052-41-3	100 ppm	100ppm/TWA	200ppm/STEL	80

Section III --- Physical/Chemical Characteristics

Boiling Point: 315 deg.F

Specific Gravity (H20 = 1) : 0.8165

Vapor Pressure (mm Hg) : 3.00 @ 68 deg.F (solvent)

Melting Point : no data

Vapor Density (Air = 1) : 4.70 (solvent)

Evaporation Rate (Butyl Acetate = 1) : 0.20 (solvent)

Appearance and Odor : clear water like liquid, solvent base, water insoluble

Weight per Gallon : 6.80 pounds

V.O.C. ---- 650 grams per liter

Section IV --- Fire and Explosion Hazard Data

Flash Point (Method Used) : 105 deg.F.

Flammable Limits: LEL: 0.7 (%vol) UEL: 6.0 (% vol)
(based on Mineral spirit)

Extinguishing Media: Extinguish with dry chemical, carbon dioxide, water spray or foam. Water may be ineffective extinguishing agent.

Special Fire Procedures: The use of SCBA is recommended for fire fighters. Water spray may be useful in minimizing vapors and cooling containers exposed to heat and flame. Avoid spreading burning liquid with water used for cooling purposes.

Unusual Fire and Explosion Hazards: This material is combustible and may be ignited by flame or heat. This material will burn, but will not ignite readily.

Section V --- Reactivity Data

Stability: Stable

Conditions to Avoid : Avoid extreme temperatures and any ignition source.

Incompatibility (Materials to Avoid) : This product is incompatible with strong acids or bases, oxidizing agents and amines.

Hazardous Decomposition or By-products : Combustion may yield carbon monoxide and /or carbon dioxide.

Hazardous Polymerization : Will not occur

Conditions to Avoid : none known.

Section VI --- Health Hazard Data

Routes of Entry: Inhalation? yes Eyes? yes Skin? yes Ingestion? yes

NFPA Classification: Health 0, Flammability 2, Reactivity 0, Protection G

Disclaimer: The data set forth in this MSDS are based on information provided by the suppliers of the raw materials and chemicals used in the manufacture of the aforementioned product. Pacific Polymers International, Inc. makes no warranty with respect to the accuracy of the information provided by their suppliers, and disclaims all liability of reliance thereof.